Safety Data Sheet

Issue Date: 01-Oct-2012 Revision Date: 19-May-2015 Version 1

1. IDENTIFICATION

Product Identifier

Product Name Green-Ox Ultra

Other means of identification

SDS # GOU06012015

Recommended use of the chemical and restrictions on use

Recommended Use Cleaner & Stain Remover.

Details of the supplier of the safety data sheet

Manufacturer Address Greenflow Distribution Inc. 1038 Legrand Blvd Charleston, SC 29492

Emergency Telephone Number

Company Phone Number (866) 308-2734

Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance Clear, colorless liquid Physical State Liquid Odor Odorless

Classification

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1

Signal Word Danger

Hazard Statements

Causes skin irritation
Causes serious eye damage



Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

If exposed or concerned: Get medical advice/attention

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Immediately call a poison center or doctor/physician

IF ON SKIN: Wash with plenty of soap and water

If skin irritation occurs: Get medical advice/attention

Take off contaminated clothing and wash it before reuse

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other Hazards

None know

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Hydrogen Peroxide	7722-84-1	<5
Ethyl Alcohol	64-17-5	<2

^{**}If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.**

4. FIRST-AID MEASURES

First Aid Measures

General Advice Provide this SDS to medical personnel for treatment.

Eye Contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Immediately call a poison center or

doctor/physician.

Skin Contact IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin

with water/shower. If skin irritation occurs: Get medical advice/attention. Take off

contaminated clothing and wash it before reuse.

Inhalation Remove to fresh air.

Ingestion Rinse mouth. Do not induce vomiting. Drink plenty of water. Seek medical attention.

Most important symptoms and effects

Symptoms Causes serious eye damage. Causes skin irritation.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Cool surrounding equipment, fire-exposed containers, and structures with water.

Hazardous Combustion Products Oxygen.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal PrecautionsUse personal protection recommended in Section 8. Keep unprotected persons away.

Environmental Precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up Dilute with a large volume of water and hold in a pond or diked area until hydrogen peroxide

decomposes. Dispose of contents/container to an approved waste disposal plant.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice. Wear protective

gloves/protective clothing and eye/face protection. Wash face, hands, and any exposed

skin thoroughly after handling.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed and store in a cool, dry and well-ventilated place. Do not store

near combustible materials. Protect from sunlight. Store locked up.

Incompatible Materials Oxidizing agents. Reducing agents. Caustics. Heavy metals.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Hydrogen Peroxide	TWA: 1 ppm	TWA: 1 ppm	IDLH: 75 ppm
7722-84-1		TWA: 1.4 mg/m ³	TWA: 1 ppm
		(vacated) TWA: 1 ppm	TWA: 1.4 mg/m ³
		(vacated) TWA: 1.4 mg/m ³	_
Ethyl Alcohol	STEL: 1000 ppm	TWA: 1000 ppm	IDLH: 3300 ppm
64-17-5		TWA: 1900 mg/m ³	TWA: 1000 ppm
		(vacated) TWA: 1000 ppm	TWA: 1900 mg/m ³
		(vacated) TWA: 1900 mg/m ³	•
Citric Acid	-	15 mg / m3 (Total)	-
77-92-9			

Appropriate engineering controls

Engineering Controls Apply technical measures to comply with the occupational exposure limits.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Use standard chemical splash-type mono goggles or face shield with safety glasses if

splashing is expected during handling of product.

Skin and Body Protection Rubber or neoprene footwear. Impervious clothing or apron materials such as rubber,

neoprene, nitrile or polyvinyl chloride. Wear liquid proof rubber or neoprene gloves.

Thoroughly rinse the outside of gloves with water prior.

Respiratory ProtectionNot required under normal conditions of use. If concentrations in excess of 10ppm are

expected, use NIOSH/DHHS approved self-contained breathing apparatus (SCBA, or other approved atmospheric-supplied respirator (ASR) equipment. DO NOT use any form of airpurifying respirator (APR) or filtering face-piece (AKA dust mask), especially those

containing oxidizable sorbents such as activated carbon.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or

smoke when using this product. Wash face, hands and any exposed skin thoroughly after

handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State Liquid

AppearanceClear, colorless liquidOdorOdorlessColorColorlessOdor ThresholdNot determined

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH 2.5-3.5

Melting Point/Freezing Point
Boiling Point/Boiling Range 101 °C / 214 °F
Flash Point Not determined

Evaporation Rate >1

Flammability (Solid, Gas) Liquid- Not Applicable

Upper Flammability Limits Not determined

Lower Flammability Limit Not determined Vapor Pressure 31 mmHg

Vapor Density Not determined

Specific Gravity 1.01

Water Solubility 100%

Solubility in other solvents Not determined **Partition Coefficient** Not determined **Auto-ignition Temperature** Not determined **Decomposition Temperature** Not determined **Kinematic Viscosity** Not determined **Dvnamic Viscosity** Not determined **Explosive Properties** Not determined **Oxidizing Properties** Not determined (butyl acetate = 1)

@30°C (86°F)

(Water = 1) @ 20°C (68°F)

10. STABILITY AND REACTIVITY

Reactivity 1 4 1

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to Avoid

Excessive heat and contamination of any kind.

Incompatible Materials

Oxidizing agents. Reducing agents. Caustics. Heavy metals.

Hazardous Decomposition Products

Oxygen.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact Causes serious eye damage.

Skin Contact Causes skin irritation.

Inhalation Avoid breathing vapors or mists.

Ingestion Do not ingest.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Hydrogen Peroxide 7722-84-1	= 801 mg/kg (Rat)	= 2000 mg/kg (Rabbit) = 4060 mg/kg (Rat)	= 2 g/m ³ (Rat) 4 h
Ethyl Alcohol 64-17-5	= 7060 mg/kg(Rat)	-	= 124.7 mg/L (Rat)4 h
Sodium lauryl sulfate 151-21-3	= 977 mg/kg (Rat)	= 580 mg/kg (Rabbit)	> 3900 mg/m³(Rat)1 h
Citric Acid 77-92-9	= 3000 mg/kg(Rat)	-	-

Information on physical, chemical and toxicological effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

However, the product as a whole has not been tested. Ethanol has been shown to be carcinogenic in long-term studies only when consumed as an alcoholic beverage.

Chemical Name	ACGIH	IARC	NTP	OSHA
Hydrogen Peroxide 7722-84-1	А3	Group 3		
Ethyl Alcohol 64-17-5	A3	Group 1	Known	X

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 3 IARC components are "not classifiable as human carcinogens"

Revision Date: 19-May-2015 GFD-007 - Green-Ox Ultra

NTP (National Toxicology Program)

Known - Known Carcinogen
OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Numerical measures of toxicity

Not determined

12. ECOLOGICAL INFORMATION

Ecotoxicity

Harmful to aquatic life with long lasting effects.

Component Information

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Hydrogen Peroxide 7722-84-1	2.5: 72 h Chlorella vulgaris mg/L EC50	18 - 56: 96 h Lepomis macrochirus mg/L LC50 static 10.0 - 32.0: 96 h Oncorhynchus mykiss mg/L LC50 static 16.4: 96 h Pimephales promelas mg/L LC50	V	18 - 32: 48 h Daphnia magna mg/L EC50 Static 7.7: 24 h Daphnia magna mg/L EC50
Ethyl Alcohol 64-17-5		12.0 - 16.0: 96 h Oncorhynchus mykiss mL/L LC50 static 13400 - 15100: 96 h Pimephales promelas mg/L LC50 flow-through 100: 96 h Pimephales promelas mg/L LC50 static	EC50 = 34634 mg/L 30 min EC50 = 35470 mg/L 5 min	9268 - 14221: 48 h Daphnia magna mg/L LC50 2: 48 h Daphnia magna mg/L EC50 Static 10800: 24 h Daphnia magna mg/L EC50
Sodium lauryl sulfate 151-21-3	53: 72 h Desmodesmus subspicatus mg/L EC50 30 - 100: 96 h Desmodesmus subspicatus mg/L EC50 117: 96 h Pseudokirchneriella subcapitata mg/L EC50 3.59 - 15.6: 96 h Pseudokirchneriella subcapitata mg/L EC50 static	8 - 12.5: 96 h Pimephales promelas mg/L LC50 static 15 - 18.9: 96 h Pimephales promelas mg/L LC50 static 22.1 - 22.8: 96 h Pimephales promelas mg/L LC50 static 4.3 - 8.5: 96 h Oncorhynchus mykiss mg/L LC50 static 4.62: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 5.8 - 7.5: 96 h Pimephales promelas mg/L LC50 static 10.2 - 22.5: 96 h Pimephales promelas mg/L LC50 semi-static 6.2 - 9.6: 96 h Pimephales promelas mg/L LC50 semi-static 6.2 - 9.6: 96 h Pimephales promelas mg/L LC50 semi-static 10.8 - 16.6: 96 h Poecilia reticulata mg/L LC50 semi-static 10.8 - 16.6: 96 h Poecilia reticulata mg/L LC50 static 1.31: 96 h Cyprinus carpio mg/L LC50 semi-static 4.2: 96 h Oncorhynchus mykiss mg/L LC50 7.97: 96 h Brachydanio rerio mg/L LC50 flow-through 9.9 - 20.1: 96 h Brachydanio rerio mg/L LC50 semi-static 4.06 - 5.75: 96 h Lepomis macrochirus mg/L LC50 static 4.2 - 4.8: 96 h Lepomis macrochirus mg/L LC50 flow-through 4.5: 96 h Lepomis macrochirus mg/L LC50 flow-through 4.5: 96 h Lepomis macrochirus mg/L LC50		1.8: 48 h Daphnia magna mg/L EC50

Citric Acid	1516: 96 h Lepomis	120: 72 h Daphnia magna
77-92-9	macrochirus mg/L LC50	mg/L EC50
	static	

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

Mobility

Chemical Name	Partition Coefficient
Ethyl Alcohol 64-17-5	-0.32
Sodium lauryl sulfate 151-21-3	1.6
Citric Acid 77-92-9	-1.72

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status
Hydrogen Peroxide	Toxic
7722-84-1	Corrosive
	Ignitable
	Reactive
Ethyl Alcohol	Toxic
64-17-5	Ignitable

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

DOT Not regulated

<u>IATA</u> Not regulated

<u>IMDG</u> Not regulated

15. REGULATORY INFORMATION

International Inventories

Chemical Name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Hydrogen Peroxide	Present	Χ		Present		Present	Х	Present	Χ	Χ
Ethyl Alcohol	Present	X		Present		Present	Х	Present	Х	X

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Hydrogen Peroxide		1000 lb	
7722-84-1			

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

US State Regulations

California Proposition 65

Ethyl alcohol is only considered a Proposition 65 developmental hazard when it is ingested as an alcoholic beverage.

Chemical Name	California Proposition 65
Ethyl Alcohol - 64-17-5	Carcinogen
· ·	Developmental

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Hydrogen Peroxide 7722-84-1	X	Х	Х
Ethyl Alcohol 64-17-5	X	X	Х

16. OTHER INFORMATION

NFPAHealth Hazards
1Flammability
0Instability
0Special Hazards
Not determinedHMISHealth HazardsFlammabilityPhysical HazardsPersonal Protection
H

Issue Date:01-Oct-2012Revision Date:19-May-2015Revision Note:New format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet
